Developed by



WEIGHBUS

Single Axle Weighbridge software for Industrial Applications

Our in-house design team, develops our software products which enables us to have complete control of product features, upgrades & support.

Manufacturing Single Axle Weighbridges for 40+ years, & software for 25+ years Export to 50+ countries, Weighbus is multi-lingual with regional formatting

Operation is simple, reducing operator training and error. Control the weighing process & guarantee demanded data is recorded with **Axle and Gross Vehicle weights**. Automate reports & data exports, integrate to third party software.

Overload Protection for commercial business and Law Enforcement for Police & Road Authorities also available.

Griffith Elder and Company Ltd, 1 Oaklands Park, Bury St Edmunds, IP33 2RW, United Kingdom \$\scimes +44 (0) 1284 719 619 \$\overline{4}\$ www.griffith-elder.com \$\vee sales@griffith-elder.com \$\vee sales@griffith-elder

VeighBus		▲ Boson	d Summary	- o : (0)
		1 Recon	u Summary	
Register				Weight
3C123 🔒 Save Weight	t (0.000t)			0.000t
ecord Type Tag Id	Source Destination	Product	Customer Consume	0.0001
Standard Record Select>	BURY ST EDMUNDS V SITE 1	✓ REBAR MESH		Axde
Create Record				E
				7.170t 6.530t
Standard Record				5.850t 5.540t
Incomplete				Registration
Record Id Record Type First Weight (t)	First Time Second Weight (t) Second	ime Net Weight (t) Vehicle		ABC
3 Standard Record 26.610	19/03/2024 13:45:53	FGH321		ABC123
2 Standard Record 23.750	19/03/2024 13:44:48	KN19FNI	N	ADUIZJ
25 🗸				Entry Exit Tag Re
All Open / Finished				
Today's Invalid Weighing				Cero Reset Refr Weigher
Record Id Vehicle First Time	Overload Overspeed			
4 KN19FNM 1 KN19FNM 19/03/2024 13:44:22	false true			
25 ~	Igiza nna			State
Today's Closed				
All Records				^
Record Id Record Type Status F	First Weight (t) First Time Second Weight (t) Second Time Net Weight	t) Vehicle	
4 Standard Record Voided	rist weight (t) First nime Second weight (t) Second Time Net Weight	KN19FNM	
3 Standard Record Incomplete	26.610 19/03/2024 13:45:53		FGH321	
2 Standard Record Incomplete	23.750 19/03/2024 13:44:48		KN19FNM	
1 Standard Record Voided	0.000 19/03/2024 13:44:22		KN19FNM	
25 •				
hbridge 1		Weighbus	Single Axle - Industrial Pro	

KEY HARDWARE FEATURES

Camera is set up to take a snapshot with every weighing. Images are stored in the database with weight record for later reference.

Remote button fob/RFID card system automatically saves data and weights as one record. One button press completes the operation.

Traffic light control system direct vehicles through the weighing process. Large displays show the saved axle and gross weights.

ADDITIONAL ACCESSORIES

CAMERAS • TRAFFIC LIGHTS • LARGE DISPLAYS • BARRIERS • TOUCHSCREEN TERMINAL

Multiple weighbridges that are connected on the same network (LAN, WAN or VPN) are able to operate from and share the same database. This allows for weigh in/ weigh out on different weighbridges.

SECURITY

Password protected, only authorised personnel can operate.

User groups and permissions can be designed by management to restrict operation and menu access as required.

Embedded web server product – can be logged in and operated from any PC, tablet and phone connected to the same network as the Weighbus computer.

OUR WEIGHBUS SOFTWARE

Computer system for easy control, our software packages are based around our customers needs. **The GE weighbus software** controls the operation of the weighbridge so that weights and other data are **stored in the database** for **detailed reporting**.

The buttons on the screen can be used to directly drive the traffic lights/ hardware. **Different operation modes are also available,** both manual data entry and the automated system can be used simultaneously.

Al ET OnePhone UK V 1737 41% AA 192.168.16.66 C E C Edit H0 P C Econd Destination DELIVERY POINT 2 0 Product GOODS 1 0 Customer Customer

DATA INPUT: WEIGHING RECORDS

Database for all weighing records. Tickets & Records can be configured for exact data and entry methods required, weight cannot be saved without inputting the data required by management.

Define **data entry values, data fields and associations** (such as tying chosen data to an RFID card/FOB, Vehicle Registration or User). This automatically enters the pre-associated data to **speed up and automate entry.**

PRINTED TICKETS

Show **sequential record number** all weighing data and data entered

The printed **layout** of the ticket can be modified as required

An **organisation logo** can be set to print onto the ticket

OPERATION

DATA OUTPUT

	-	Decend Type:	Standard Record
Record Id:		Record Type:	Standard Record
Status:	Closed	User:	
Griffith Elder & Co 1 Oaklands Park Bury St Edmunds Suffolk IP33 2RW England +44 (0)1284 719611 sales@griffith-elder.	er.com	Gi	riffith Elder
First Origin: First Time: First Locale:	Platform Board 19/03/24 10:20:21	First Weight:	27.940
	Weighbridge 1	O	40.000
Second Origin:		Second Weight:	18.860
Second Time:	19/03/24 10:22:06		
Second Locale:	Weighbridge 1		
		Net Weight:	9.080
Stage	Axle	Weights	
1	1	6.450t	
1	2	7.140t	
1	3	6.600t	
1	4	7.750t	
2	1	6.870t	
2	2	2.880t	
2	3	4.390t	
2	4	4.720t	
Tag Id:	0001	Vehicle:	KN19FNN
	BURY ST EDMUNDS	Dectination:	CENTRAL HUE
Source:	DURT ST EDMUNDS	Destination.	CENTRAL HUD

POWERFUL REPORTING

Unlimited report types can be configured to collate the required data from the database to specific reports.

These reports can be run as many times as needed. Schedule reports to run automatically if required.

EXPORT RECORDS

Records are saved as a CSV file; these can be configured to save to specific locations. Additionally, there is the option to automatically email report CSV files.


CSV file, camera images and ticket html files can be automatically exported for each closed record as they're completed.

INTEGRATION WITH OTHER SOFTWARE PACKAGES

The order and sequence of data in CSV files are user-defined, allowing for easy integration into third-party software packages or company systems.

Audit trail for every single data entry, (e.g. entering the customer onto the record) detailing who carried out the entry and what was entered. Software uses on-premise web server, with scheduled back ups saved to another location reducing data loss.

COMPATIBLE WITH WIDE RANGE OF PRODUCTS & HARDWARE



Griffith Elder and Company Ltd, 1 Oaklands Park, Bury St Edmunds, IP33 2RW, United Kingdom \$\overline\$ +44 (0) 1284 719 619 \$\overline\$ www.griffith-elder.com \$\vee\$ sales@griffith-elder.com